













CONTENTS WITH LED'S

	<p>DANCER IN THE DARK 1 LED - DIRECTIONAL Very compact LED-lighting, 13° or 30°, build-in.</p>	p.22		<p>DANCER IN THE DARK 2 LED'S - DIRECTIONAL Very compact LED-lighting, 13° or 30°, build-in.</p>	p.22
	<p>DANCER IN THE DARK 4 LED'S - DIRECTIONAL Suspension or ceiling lamp with accent lighting. Adaptors integrated. To connect on 230V</p>	p.23		<p>DANCER IN THE DARK 16 LED'S - DIRECTIONAL Suspension with accent lighting. ± 500 lux on table. Adaptors integrated. To connect on 230V</p>	p.24
	<p>UFO 4 4 LED'S - FIXED Build-on with or without adaptor. 110° or 30° light emittance</p>	p.25		<p>UFO 8 8 LED'S - FIXED Build-on with or without adaptor. 110° or 40° light emittance</p>	p.26

WITH BULBS

	<p>ON LUNA Ceiling lamp 230V - E27</p>	p.27		<p>STRAIGHTT & FIXX LUNA Suspension lamp with cable or stick 230V - E14 or E27</p>	p.28
	<p>UP - REFLECT ECONO Uplighter with reflector 230V - E27</p>	p.29		<p>UP - TRANSPARENT Uplighter with diffuser 230V - E27</p>	p.29
	<p>UP & DOWN - REFLECT Up- & downlighter with turnable reflector, 230V - E27</p>	p.30		<p>UP - TRANSPARENT Up- & downlighter with turnable diffuser 230V - E27</p>	p.30

RECUPEL

Recycling charge in Belgium
each model for standard-, halogen-
or energy saving bulb 230V,
low voltage bulb or LEDs
code 05.09.02 : euro 0,05 incl. VAT



MODEL
Build-in, very compact directional accent LED-lighting, 13°, or 30°. For mounting on the wall, ceiling or shelf.
Cover, black PMMA. Led-housing, black anodised aluminium.
With 1 or 2 power-led's, 1 or 3 watt.

ADVANTAGES


Compact directional lighting.
Adaptor can be integrated in the wall-box.
Easy mounting.

ADAPTORS

To be connected on AC/DC adaptor. To be order separately.
1w power-led : Adaptor 350mA max. see page 9
3w power-led : Adaptor 700mA max. see page 10.

ACCESSORIES

Other beams (24, 44, 65, 80°) on request




DANCER IN THE DARK - SMALL - 1 LED

APPLICATIONS

For ceiling or wall, in a corridor, wardrobe or shelf. For orientation lighting at night is 1w sufficient. Fits in square (minimum 43x43 mm) or round wall-boxes (61 ±3 mm) or holes (61 ±3 mm).

SMALL 1x1W LED	light colour	art. code	€ incl.	
1W - 13°	white cold	DSG1x1-13C	92	
	white warm	DSG1x1-13W	94	
1W - 30°	white cold	DSG1x1-30C	92	
	white warm	DSG1x1-30W	94	
adaptor 350 mA to build in (others pag.9)			ZMPL1	25
SMALL 1x3W LED				
3W - 13°	white cold	DSG1x3-13C	97	
	white warm	DSG1x3-13W	99	
3W - 30°	white cold	DSG1x3-30C	97	
	white warm	DSG1x3-30W	99	
adaptor 700 mA to build in (others pag.10)			ZMPL4	30



DANCER IN THE DARK - SMALL - 2 LED'S

APPLICATIONS

For ceiling or wall, in a corridor, wardrobe or shelf.
For orientation lighting at night is 1w sufficient.

SMALL 2x1W LED'S	light colour	art. code	€ incl.	
2x1W - 13°	white cold	DSG2x1-13C	175	
	white warm	DSG2x1-13W	179	
2x1W - 30°	white cold	DSG2x1-30C	175	
	white warm	DSG2x1-30W	179	
adaptor 350 mA to build in (others pag.9)			ZMPL3	25
SMALL 2x3W LED'S				
2x3W - 13°	white cold	DSG2x3-13C	185	
	white warm	DSG2x3-13W	189	
2x3W - 30°	white cold	DSG2x3-30C	185	
	white warm	DSG2x3-30W	189	
adaptor 700 mA to build in (others pag.10)			ZPLK303	40



Models, prices and dimensions (in mm) can be altered without previous notice.
Inclusive LEDs & adaptors
Prices in EURO



DANCER IN THE DARK 4 directional leds



All models are registered and protected by prevailing laws.
Scale 1/5 21.04.2009
Design: Luc Lemahieu

MODELS

Ceiling or suspension lamp, with 4 directional leds (30° beam).
Power-leds, 1 or 3 watt. AC/DC adaptors are integrated.
For use above tables.
Cover, black PMMA.
Led-housing & structure, black anodised aluminium.

ADVANTAGES

Area of illumination can be adapted (to the size of the table).
Easy to install, directly to 230V.

LIGHT OUTPUT

Lux at 125 cm distance - lighted area 90x90cm
4x1w white cold LED: ± 250 lux - 4x1w white warm LED: ± 200 lux
4x3w white cold LED: ± 350 lux - 4x3w white warm LED: ± 300 lux

ACCESSORIES

Other beams (13, 24, 44, 65, 80°) on request




DANCER IN THE DARK - BUILD-ON - 4 LEDS

APPLICATIONS

for use above tables,
or when directional accent lighting is needed.

	light colour	art. code	€ incl.
ON4 1W LED 1W - 30°	white cold	DON4x1-30C	450
	white warm	DON4x1-30W	460
ON4 3W LED 3W - 30°	white cold	DON4x3-30C	485
	white warm	DON4x3-30W	495



DANCER IN THE DARK - SUSPENSION - 4 LEDS


APPLICATIONS

For use above tables and desks,
or when directional accent lighting is needed.

	light colour	art. code	€ incl.
SU4 1W LED 1W - 30°	white cold	DSU4x1-30C	550
	white warm	DSU4x1-30W	560
SU4 3W LED 3W - 30°	white cold	DSU4x3-30C	585
	white warm	DSU4x3-30W	595

ACCESSORIES

set cables + adjusters (if ceiling is +3m) DSU-CABLE2 40



Models, prices and dimensions (in mm)
can be altered without previous notice.
Inclusive LEDs & adaptors
Prices in EURO



DANCER IN THE DARK suspension - 16 directional leds



All models are registered
and protected by prevailing laws.
Scale 1/10 21.04.2009
Design: Luc Lemahieu

MODEL

Suspension lamp, with 16 directional leds (30° beam).
With 16 power-leds, 1 or 3 watt. AC/DC adaptors are integrated.
For use above tables, in dining rooms & offices,
Cover, black PMMA. Led-housing & structure, black anodised aluminium.

ADVANTAGES


All 16 light points are directional and can be reversed for indirect lighting.
Area of illumination can be adapted to the length of the table, 1,5 up to 3 meters.
Easy to install and easy height adjustment.

LIGHT OUTPUT

Lux at 125 cm distance - lighted area 200x90cm
16x1w white cold LED: ± 350 lux - 16x1w white warm LED: ± 300 lux
16x3w white cold LED: ± 550 lux - 16x3w white warm LED: ± 500 lux

ACCESSORIES

Other beams angles on request (13, 24, 44, 65, 80°).



DANCER IN THE DARK - SUSPENSION - 16 LEDS

APPLICATIONS

For use above tables and desks when 500 lux is needed, in offices,
hotels, receptions, houses.

Or when directional accent lighting is needed (bathrooms, dressings...)

S16 1W LED	light colour	art. code	€ incl.
1W - 30°	white cold	DSU16x1-30C	1665
	white warm	DSU16x1-30W	1695

S16 3W LED

3W - 30°	white cold	DSU16x3-30C	1765
	white warm	DSU16x3-30W	1795

ACCESSORIES

set cables + adjusters (if ceiling is +3m)	DSU-CABLE2	40
--	------------	----



Models, prices and dimensions (in mm) can be altered without previous notice.
Inclusive LEDs
Prices in EURO



UFO - 4
with fixed leds



All models are registered and protected by prevailing laws.
Scale 1/5 21.04.2009
Design: Luc Lemahieu



UFO 4 - WITHOUT adaptor - 110°

For general light in hall, corridor, toilet. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as 40w bulb or 7 watt energy saving bulb.

To connect to adaptor

UFO 4 110° - 1W	light colour	art. code	€ incl.
SCREW fixation	white cold	UFO4x1-110C	149
with 2 invisible screws	white warm	UFO4x1-110W	159
CLIP fits in hole	white cold	UFC4x1-110C	164
Ø 42 up to Ø 73 mm	white warm	UFC4x1-110W	174
adaptor 350mA 8x1w - dim. Ø53x19		ZPLR110	35




UFO A4 - build-on WITH adaptor - 110°

For general light in hall, corridor, toilet. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as 40w bulb or 7 watt energy saving bulb.

To connect to 230V.

UFO A4 110° - 1W	light colour	art. code	€ incl.
	white cold	UFA4x1-110C	189
	white warm	UFA4x1-110W	199

ceiling and wall lamps power-led's ULTRA THIN can replace existing spots and general lighting



UFO 4 - WITHOUT adaptor - 30°

With optics for accent downlight light or in corridors. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as 20W low voltage spot.

To connect to adaptor.

UFO 4 30° - 1W	light colour	art. code	€ incl.
SCREW fixation	white cold	UFO4x1-30C	174
with 2 invisible screws	white warm	UFO4x1-30W	184
CLIP fits in hole	white cold	UFC4x1-30C	189
Ø 42 up to Ø 73 mm	white warm	UFC4x1-30W	199
adaptor 350mA 8x1w - dim. Ø53x19		ZPLR110	35

UFO A4 - build-on WITH adaptor - 30°

With optics for accent downlight light or in corridors. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as 20W low voltage spot.

To connect to 230V.

UFO A4 30° - 1W	light colour	art. code	€ incl.
	white cold	UFA4x1-30C	214
	white warm	UFA4x1-30W	224


Models, prices and dimensions (in mm) can be altered without previous notice.
Inclusive LEDs
Prices in EURO



UFO - 8
with fixed leds




All models are registered and protected by prevailing laws.
Scale 1/5 21.04.2009
Design: Luc Lemahieu



UFO 8 - WITHOUT adaptor - 110°

For general light in hall, corridor, toilet. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Light output ± as 60w bulb or 11 watt energy saving bulb.
 To connect to adaptor.

UFO 8 110° - 1W	light colour	art. code	€ incl.
SCREW fixation with 2 invisible screws	white cold	UFO8x1-110C	239
	white warm	UFO8x1-110W	249
CLIP fits in hole	white cold	UFC8x1-110C	254
Ø 42 up to Ø 73 mm	white warm	UFC8x1-110W	264
adaptor 350mA 8x1w - dim. Ø53x19		ZPLR110	35




UFO A8 - build-on WITH adaptor - 110°

For general light in hall, corridor, toilet. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Light output ± as 60w bulb or 11 watt energy saving bulb.
 To connect to 230V.

UFO A8 110° - 1W	light colour	art. code	€ incl.
	white cold	UFA8x1-110C	289
	white warm	UFA8x1-110W	299
110° - 3W	white cold	UFA8x3-110C	
	white warm	UFA8x3-110W	


ceiling and wall lamps power-led's ULTRA THIN can replace existing spots and general lighting



UFO 8 - WITHOUT adaptor - 40°

With optics for accent downlight light on tables or corridors. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as a 50W low voltage spot.
 To connect to adaptor.


UFO 8 40° - 1W	light colour	art. code	€ incl.
SCREW fixation with 2 invisible screws	white cold	UFO8x1-40C	289
	white warm	UFO8x1-40W	299
CLIP fits in hole	white cold	UFC8x1-40C	304
Ø 42 up to Ø 73 mm	white warm	UFC8x1-40W	314
adaptor 350mA 8x1w - dim. Ø53x19		ZPLR110	35



UFO A8 - build-on WITH adaptor - 40°


With optics for accent downlight light on tables or corridors. The sanded PMMA diffuser prevents blinding and generates a nice light effect. Ceiling or wall mounting. Light output ± as a 50W low voltage spot.
 To connect to 230V.

UFO A8 40° - 1W	light colour	art. code	€ incl.
	white cold	UFA8x1-40C	339
	white warm	UFA8x1-40W	349
40° - 3W	white cold	UFA8x3-40C	
	white warm	UFA8x3-40W	




ON LUNA SMALL

ceiling model build-on
downlight or general lighting
candle-, halogen-, round or led bulb
230V - E27 - max.60W
max. Ø52 - max. height 85




model	colour	art. code	€ incl.
SMALL	opal + white	ONLN S WT	82
	opal + black	ONLN S BK	82
	opal + champagne	ONLN S CP	98
	opal + aluminium	ONLN S AL	98

TIMELESS, FUNCTIONAL LIGHTING with SANDED GLASS - 230 V




ON LUNA MEDIUM

ceiling model build-on
general lighting.
candle, halogen, energy saving, round or led bulb
230V - E27 - max.100W (hal.) or 11W (energy saving)
max. Ø52 - max. height 115




model	colour	art. code	€ incl.
MEDIUM	opal + white	ONLN M WT	87
	opal + black	ONLN M BK	87
	opal + champagne	ONLN M CP	104
	opal + aluminium	ONLN M AL	104



ON LUNA LARGE

ceiling model build-on
general lighting.
candle, halogen, energy saving, round or led bulb
230V - E27 - max.100W (hal.) or 20W (energy saving)
max. Ø52 - max. height 145



model	colour	art. code	€ incl.
LARGE	opal + white	ONLN L WT	93
	opal + black	ONLN L BK	93
	opal + champagne	ONLN L CP	109
	opal + aluminium	ONLN L AL	109



COLOUR FILTER LUNA

To place inside glass, maximum 60w bulb.
Standard colour red, other colours, designs or reflectors on request.

model	colour	art. code	€ incl.
CF. LUNA SMALL	red	LUNAS RED	6
CF. LUNA MEDIUM	red	LUNAM RED	7
CF. LUNA LARGE	red	LUNAL RED	8


Models, prices and dimensions (in mm)
can be altered without previous notice
Prices in EURO
without bulbs



STRAIGHTT & FIXX LUNA SUSPENSION - 230V



All models are registered
and protected by prevailing laws.
Scale 1/6,67 21.04.2009
Design: Luc Lemahieu



STRAIGHTT LUNA LARGE

with cable

(black woven textile) build on

general lighting

model : white, black, champagne, alum.


diffusor : opal sanded glass

candle, halogen, energy saving, round or led bulb

230V E14 (E27 on request) max. 60W or 15W for energy saving bulb.

model	colour	art. code	€ incl.
STRAIGHTT	opal + white	SLLON WO	137
LUNA LARGE	opal + black	SLLON BO	137
	opal + champagne	SLLON CO	152
	opal + aluminium	SLLON AO	152

TIMELESS, FUNCTIONAL LIGHTING with SANDED GLASS - 230 V



FIXX LUNA LARGE

suspension with stick Ø10 build on

general lighting

model : white, black, champagne, alum.

diffusor : opal sanded glass

candle, halogen, energy saving, round or led bulb

230V E14 (E27 on request) max. 60W or 15W for energy saving bulb.

model	colour	art. code	€ incl.
FIXX	opal + white	FLLON WO	159
LUNA LARGE	opal + black	FLLON BO	159
	opal + champagne	FLLON CO	178
	opal + aluminium	FLLON AO	178





COLOUR FILTER LUNA LARGE


To place inside glass, maximum 60w bulb.

Standard colour red, other colours, designs or reflectors on request.

model	colour	art. code	€ incl.
CF. LUNA LARGE	red	LUNAL RED	8




for incandescent- halogen (max.100W)
or energy saving bulb (23w)
230V - E27 - max. height 158




UP - REFLECT ECONO

wall lamp with reflector
compact design wall lamp, uplighter, build-on
reflector : champagne or aluminium
base : black

model	colour	art. code	€ incl.
UP & DOWN	champagne + black	UPRE CP	131
REFLECT	aluminium + black	UPRE AL	131



for incandescent
or led bulb
230V - E27 - max. 60W
max. height 110





UP - TRANSPARENT

wall lamp with diffuser
compact design wall lamp, build-on
uplighter
diffuser (pp.) : opal, green, blue
base : black


model	kleur	art. code	€ incl.
UP & DOWN	opal + black	UPT OP	99
TRANSPARENT	green + black	UPT GN	99
	blue + black	UPT BL	99




**UP & DOWN
WALL LAMP - 230V**



view R




for incandescent
tube or standard bulb
230V - E27 - max. 100W
max. height 105




UP & DOWN - REFLECT

wall lamp with turnable reflector
can be used as
up and/or downlighter
compact design wall lamp,
build-on, for indirect light


model	colour	art. code	€ incl.
UP & DOWN	champagne	UPDOR CP	131
REFLECT	aluminium	UPDOR AL	131



view Q



for incandescent
or led bulb
230V - E27 - max. 60W
max. height 85



UP & DOWN - TRANSPARENT

wall lamp up & down with turnable diffusor
compact design wall lamp, build-on
for general light
diffuser (pp.) : opal, green, blue
base : aluminium

model	colour	art. code	€ incl.
UP & DOWN	opal + aluminium	UPDOT OP	99
TRANSPARENT	green + aluminium	UPDOT GN	99
	blue + aluminium	UPDOT BL	99